



Creating a more connected Mission Viejo




Access to over 200 Acres of Community Recreation and Open Space

The Core Area Vision Plan Boundary



Celebrate Culture, Open Space, Recreation & Entertainment in the Heart of Mission Viejo



The Need - Local Competition

Five local projects in adjacent communities aimed at drawing tax dollars away from Mission Viejo and into neighboring communities

Community Communication Campaign 🐖

envision

- Home Page
- Connecting the Vision
- Civic Core
- Northern Recreation Core
- Timeline
- Events
- Resources



The schedule is fluid and subject to change over time:

Launch the "Come Play in Your Own Backyard" visual presentation 4-19-2023 for the CORE AREA VISION PLAN

Introduce the CORE AREA VISION PLAN concept, "LOS OSOS," 4-25-2023 at City Council Meeting

Present the concept to the Planning & Transportation Commission and 5-08-2023 review the traffic study and architectural elevations and seek public input

Present the concept to the Community Services Commission with 5-16-2023 emphasis on recreational opportunities and seek public input

Present the project details, including traffic study and impacts, to 5-23-2023 City Council and seek public input

Present updated information to the Planning & Transportation 7-10-2023 Commission.

Present updated information to the Community Services Commission 8-15-2023

Present the final input, cost and recommendations for the first phase FALL 2023 of construction to City Council for approval and direction and move forward with environmental work and construction documents


Council Direction


5

March and April 2022 - City completed the site analysis and field reconnaissance and sought input from the Commissions and City Council.

Input included:


- Close off circulation in front of the MART building so the Paseo is more pedestrian oriented.
- Allow the pedestrian zone to run through the MART building to align with the southern portion of the building.
- Allow vehicular circulation to continue to flow behind the buildings in the Urban Alley.





POTENTIAL STEEL MOMENT FRAME


NOTE AREA CALCULATIONS ARE APPROXIMATE AND DO NOT REFLECT AREA OF PROPOSED ROOF DECK & BAR.







Los Osos A Family of Bears






Los Osos – Site Plan

Existing Site Plan

Existing Stein Mart – 33,000 SF Existing Inline – 5,266 SF Total – 38,266 SF Existing Parking - 155

Proposed Site Plan

Proposed Los Osos – 17,470 SF Proposed Inline – 5,266 SF Total – 22,736 SF Proposed Parking - 108





Artist Rendering - Aerial



Los Osos

Imagery for Each Site Plan Area



Los Osos – North Paseo













Los Osos – Entertainment Plaza









Los Osos – Urban Alley





Los Osos – Urban Alley Plaza







Los Osos – Creek Side Entertainment Plaza



LEGEND

- Stairs
 Sculpture climber ground level
 Elevator to below
 Social seating with firepit & drink ledge 42"
 high cable rail guardrail
 Planter area with rock accent
 Climbing wall
- 8 Oso creek bike trail
 9 Seating area
 10 Greenhouse kiosk
 11 Oso Creek
 12 Dismount zone
 13 Bike trail pass-through




 \oslash

Creek Side Entertainment Plaza






Los Osos – Lower Entertainment Plaza



LEGEND

Stairs Sculpture - climber ground level Elevator to below Social seating with firepit & drink ledge 42" high cable rail guardrail Planter area with rock accent

8 Oso creek bike trail
9 Seating area
10 Greenhouse kiosk
11 Oso Creek
12 Dismount zone
13 Bike trail pass-through



Lower Entertainment Plaza

7 Climbing wall







Los Osos – North Paseo Bridge







Los Osos – Event Barn & Bridge Plaza







Los Osos – Special Event Barn



Los Osos – Marguerite Parkway Overlook

Marguerite Parkway Overlook

- 1. All responses to cost of the project will be discussed at the fall City Council public input meeting.
- 2. All improvements, parking lot, Urban Alley and access drive will be constructed on ONLY City property.
- 3. The LOS OSOS Project as presented does not restrict vehicle traffic behind the MART building.
- Environmental studies have been started with the preparation of a very detailed Traffic Impact Study. The remainder of the environmental studies will be completed once City staff has received City Council direction to proceed.


Public Comments 5-8-2023

- 5. The parking study, as part of the Traffic Impact Study, is both factual and empirical and concludes that there is sufficient parking. The City owns 700 parking spaces surrounding the shopping center, and through our successful traffic management programs, we will be able to manage the parking for City events.
- 6. There will be adequate seating for the various proposed food tenants and for special events. During larger special events, additional seating can be brought to the site.

7. Through final design, the City will discourage bike riding through the North Paseo and the Urban Alley entertainment areas. This will be accomplished via environmental and physical design elements. There will be checkpoints at various entries to the Paseo physically compelling bicyclists to dismount. The project will also include corresponding signage. Additionally, the City's Trail Ambassador Program will be visually present to aid in managing this effort.

Public Comments 5-8-2023

8. The consideration of a pedestrian bridge over Marguerite Parkway from the Civic Center to LOS OSOS has been studied. The City land on the east side of Marguerite Parkway is very limited. The bridge concept will eliminate an additional four parking spaces.





Los Osos – Traffic Impact Study

Traffic Impact Analysis





May 08 2023






- Traffic Impact Analysis
- Site Access & On-site Circulation
- Parking Analysis
- Pedestrian & Bicycle Accessibility Overview
- Event Barn


Project Background Los Osos - Mission Viejo



- Los Osos Located within Village Center
- Access via 8 Driveways
 - 3 Along La Paz Road (1 Signalized, 2 Unsignalized)
 - 5 Along Marguerite Parkway (3 Signalized, 2 Unsignalized)
- Project Overview: Transition approx. 33,000 SF of Retail
 Use into Recreational Space with approx. 17,470 SF of
 Supportive Restaurants (16,770 SF) and Retail (700 SF)
 and installation of 'Special Event Barn'
- <u>Study Assumed Project Buildout Year of 2025</u>



Traffic Impact Analysis



July 10 2023







- Traffic Impact Analysis
- Site Access & On-site Circulation
- Parking Analysis
- Pedestrian & Bicycle Accessibility Overview
- Event Barn






Project Background Los Osos - Mission Viejo



- Los Osos Located within Village Center
- Access via 8 Driveways
 - 3 Along La Paz Road (1 Signalized, 2 Unsignalized)
 - 5 Along Marguerite Parkway (3 Signalized, 2 Unsignalized)
- Project Overview: Transition approx. 33,000 SF of Retail Use into Recreational Space with approx. 17,470 SF of Supportive Restaurants (16,770 SF) and Retail (700 SF) and installation of 'Special Event Barn'
- <u>Study Assumed Project Buildout Year of 2025</u>





Traffic Impact Analysis

Study Area




No.	Intersection	Control
1	La Paz Road & Marguerite Parkway	Signalized
2	La Paz Road & Village Center (West Driveway)	Unsignalized
3	La Paz Road & Village Center (East Driveway)	Signalized
4	Marguerite Parkway & Village Center Driveway (near Union Bank)	Unsignalized
5	Marguerite Parkway & Civic Center/Village Center N	Signalized
6	Marguerite Parkway & Village Center Driveway (near Tikka Indian Kitchen)	Unsignalized
7	Marguerite Parkway & Village Center S	Signalized
8	Marguerite Parkway & Estanciero Drive/Village Center Driveway	Signalized

No.	Roadway Segment
1	Marguerite Parkway between Jeronimo Road and La Paz Road
2	La Paz Road between Marguerite Parkway and Spadra Lane
3	La Paz Road between Marguerite Parkway and Pacific Hills Drive
4	Marguerite Parkway between La Paz Road and Estanciero Drive

8 Study Intersections & 4 Roadway Segments

• City Guidelines: traffic analysis required at intersections where a project adds 51 or more trips during the peak hours.



Existing Conditions



- Existing Baseline conditions based on historical (2017 and 2021) and latest (2022) traffic counts.
 - COVID-19 Impacts
 - Big box stores open during 2017 counts
 - Highest traffic volumes used in analysis.
 - AM Peak (7AM-9AM) & PM Peak (4PM-6PM)
- School Peak Traffic Volume Comparison
- Weekend Peak Traffic Volume Comparison
- Pedestrian and Bicycle Counts (2022) Oso Creek Trail




Note: Highest traffic counts were used in the analysis in order to be conservative.

Level-of-Service (LOS)



- Level-of-Service or LOS: term used to qualitatively describe the operating conditions of a roadway or an intersection.
- LOS of a facility is designated with a letter (A to F)
 - Grade A representing the best operating conditions (Free Flow)
 - Grade F representing the worst operating conditions (Forced Flow)
- City of Mission Viejo designates LOS D as the minimum LOS that is acceptable.



Traffic Study Scenarios



- Existing Conditions
- Existing Plus Project Conditions
- Project Buildout Year Without Project Conditions
 - (Existing + Ambient Growth + Vacant Land Use Traffic)
- Project Buildout Year With Project Conditions



How many trips generated are from the proposed project?

- Trip generation calculated based on the Institute of Transportation Engineers (ITE) *Trip Generation Manual*
- Trip generation rates vary on land use type and time-of-day
- Pass-by Trips Reduction Factor accounts for interim stops to the project site during an existing or previously planned trip
- "Pop-Up Kiosks" included in the trip generation (1,325 sf of Fast Casual Restaurant)

Project Trip Generation


Daily	AM Peak	Hour (1 Hou	ur Period)	PM Peak Hour (1 Hour Peric					
2-Way Traffic	Total	In	Out	Total	In	Out			
1,377	124	69	55	89	53	36			

Proposed Project – Trip Distribution



Where does this new traffic go?

- Trip distribution is the process of assigning the directions from which traffic will access the project site
- Based on land use characteristics of project or other local land uses & the local roadway network.



Existing Conditions Traffic Impact Summary - Intersections

	Study Intersection	Peak	Existing	l	Existing P Project		Change	Significant
		Hour	V/C or Delay (Sec)	LOS	V/C or Delay (Sec)	LOS	in V/C	Impact
1	La Daz Doad & Marguerite Darkway	AM	0.716	С	0.726	С	0.010	No
0.558	La Paz Road & Marguerite Parkway	PM	0.791	С	0.799	С	0.008	No
2	La Paz Road & Village Center (West	AM	12.5 Sec	В	12.6 Sec	В	0.1 Sec	No
2	Driveway)		13.8 Sec	В	14.1 Sec	В	0.3 Sec	No
3	La Paz Road & Village Center (East	AM	0.345	A	0.350	A	0.005	No
5	Driveway)	PM	0.479	A	0.494	A	0.015	No
4	Marguerite Parkway & Village Center	AM	15.0 Sec	С	15.4 Sec	С	0.4 Sec	No
4	Driveway (near Union Bank)	PM	19.7 Sec	С	20.4 Sec	С	0.7 Sec	No
5	Marguerite Parkway & Civic	AM	0.543	A	0.554	Α	0.011	No
2	Center/Village Center N	PM	0.752	С	0.792	С	0.040	No
6	Marguerite Parkway & Village Center	AM	15.3 Sec	С	15.4 Sec	C	0.1 Sec	No
0	Driveway (near Tikka Indian Kitchen)	PM	18.2 Sec	С	18.4 Sec	C	0.2 Sec	No
7	Marguerite Parkway & Village Center S	AM	0.520	А	0.525	А	0.005	No
	inarguente raikway & village Center 5	PM	0.674	В	0.679	В	0.005	No
8	Marguerite Parkway & Estanciero	AM	0.732	C	0.737	С	0.005	No
8	Drive/Village Center Driveway	PM	0.795	С	0.799	С	0.004	No

Proposed project **would not** exceed traffic impact thresholds at any study intersections under

Existing With-Project conditions

Existing Conditions Traffic Impact Summary – Roadway Segments

				LOS E	Existing Existing With Project							
No.	Roadway Segment	Lanes	Type of Arterial	Capacity (VPD)	Daily Volume (2-Way)	V/C Ratio	LOS	Daily Volume (2-Way)	V/C Ratio	LOS	V/C Increase	Significant (Yes/No)
1	Marguerite Parkway between Jeronimo Road and La Paz Road	4D	Primary	37,500	33,242	0.886	D	33,724	0.899	D	0.013	No
2	La Paz Road between Marguerite Parkway and Spadra Lane	4D	Primary	37,500	22,133	0.590	A	22,408	0.598	A	0.007	No
3	La Paz Road between Marguerite Parkway and Pacific Hills Drive	4 U	Secondary	25,000	16,958	0.678	В	17,165	0.687	В	0.008	No
4	Marguerite Parkway between La Paz Road and Estanciero Drive	4D	Primary	37,500	32,730	0.873	D	33,143	0.884	D	0.011	No

Proposed project **would not** exceed traffic impact thresholds at any study roadway segments under

Existing With-Project conditions

Project Buildout Year Traffic Impact Summary - Intersections

		Peak	Opening Y Without Pro		Opening Ye	ar Wit	h Project	Significant
	Study Intersection	Hour	V/C or Delay (Sec)	LOS	V/C or Delay (Sec)	LOS	V/C Increase (Sec)	Impact
1	La Paz Road & Marguerite Parkway	AM	0.750	С	0.760	С	0.010	No
	La Faz Road & Marguente Farkway	PM	0.831	D	0.839	D	0.008	No
2	La Paz Road & Village Center (West	AM	12.7	В	12.8	B	0.1	No
2	Driveway)	PM	14.3	В	1 <mark>4.</mark> 5	В	0.2	No
3	La Paz Road & Village Center (East	AM	0.355	A	0.359	A	0.004	No
5	Driveway)	PM	0.506	A	0.521	A	0.015	No
4	Marguerite Parkway & Village Center	AM	15.7	C	16.1	С	0.4	No
4	Driveway (near Union Bank)	PM	21.2	С	22.0	С	0.8	No
5	Marguerite Parkway & Civic	AM	0.573	Α	0.605	В	0.032	No
2	Center/Village Center N	PM	0.840	D	0.879	D	0.039	No
6	Marguerite Parkway & Village Center	AM	16.5	C	16.7	С	0.2	No
0	Driveway (near Tikka Indian Kitchen)	PM	21.7	С	22.0	С	0. <mark>3</mark>	No
7	Marquorito Parkway & Villago Contor S	AM	0.542	Α	0.547	A	0.005	No
	warguente raikway & village Center 5	Jerite Parkway & Village Center S PM 0.709 C 0.714 C 0.00	0.005	No				
0	Marguerite Parkway & Estanciero	AM	0.758	С	0.763	С	0.005	No
8	Drive/Village Center Driveway	PM	0.824	D	0.827	D	0.003	No

Proposed project **would not** exceed traffic impact thresholds at any study intersections under

Project Buildout Year With-Project conditions

Project Buildout Year Traffic Impact Summary – Roadway Segments

			Type of Arterial	LOS E Capacity (VPD)	Opening Year Without Project			Opening Year With Project				
No.	Roadway Segment	Lanes			Daily Volume (2-Way)	V/C Ratio	LOS	Daily Volume (2-Way)	V/C Ratio	LOS	V/C Increase	Significant (Yes/No)
1	Marguerite Parkway between Jeronimo Road and La Paz Road	4D	Primary	37,500	34,667	0.924	E	35,149	0.937	E	0.013	Yes
2	La Paz Road between Marguerite Parkway and Spadra Lane	4D	Primary	37,500	23,041	0.614	С	23,317	0.622	C	0.007	No
3	La Paz Road between Marguerite Parkway and Pacific Hills Drive	4U	Secondary	25,000	17,650	0.706	с	17,857	0.714	C	0.008	No
4	Marguerite Parkway between La Paz Road and Estanciero Drive	4D	Primary	37,500	34,079	0.909	E	34,492	0.920	E	0.011	Yes


Proposed project **would** exceed traffic impact thresholds at study roadway segments #1 & #4 under Project Buildout Year With-Project conditions. (V/C Increase > 1%, 1.3% and 1.1% respectively)

Segments #1 & #4 operating at LOS E without project

Improvement Strategies



- Increase throughput along Marguerite Parkway
 - OCTA Approved Marguerite Parkway Traffic Signal
 Synchronization Project (TSSP), scheduled for 2024 2026
- Continue to develop Traffic Demand Management (TDM) strategies, such as expanding MV Shuttle (add stop to Village Center & weekend routes) and implement the City of Mission Viejo Comprehensive Bikeway Master Plan.
- Proposed project provides direct access to Oso Creek
 Trail, encouraging alternative modes of travel, which can assist in reducing number of vehicle trips.






Site Access & On-site Circulation

Internal Intersection LOS Analysis



- Level-of-service analysis conducted for internal "intersections" for Existing and Proposed conditions
- Installation of North Paseo and drive aisle closure will require rerouting traffic.
- Supplemental analysis not typically required by City



Internal Intersection LOS Analysis Summary

Internal	Peak Hour	Existi	ng	Opening Year (2025) With-Project			
Intersection	Teak Hour	Delay (Sec)	LOS	Delay (Sec)	LOS		
4	AM	6.9	A	7.0	A		
1	PM	7.3	A	7.6	A		
2	AM	1.6	A	0.7	A		
2	PM	2.4	А	2.0	А		
3	AM	7.3	А	7.9	А		
3	PM	8.1	А	10.0	A		
4	AM	7.0 A		-	<u>1</u> 27		
4	PM	7.3	А		8 7 82		
.	AM	7.1	A	7.3	A		
5	PM	7.6	A	8.0	A		
C	AM	6.4	A	3.3	А		
6	PM	6.6	A	5.1	A		
7	AM	6.5	A	6.7	А		
1	PM	6.4	A	6.6	A		
8	AM	2.5	A	2.5	A		
0	PM	4.4	А	4.4	А		
9	AM	7.4	А	7.4	А		
9	PM	8.5	A	8.7	A		
10	AM	7.3	А	7.3	А		
10	PM	7.7	Α	7.6	A		

Proposed project **would not** exceed traffic impact thresholds at any internal study intersections

under Project Buildout Year With-Project conditions

Truck Turning Analysis

- Objective: Determine if adequate clearance will be provided for large trucks servicing center.
- Completed for all truck types currently served within the Village Center (WB-40, SU-40, & CA Legal)
- All trucks would be accommodated per existing and future conditions.




Proposed project **would not** impede truck delivery access to existing tenants.

Urban Alley – Service Road Improvement Area




- Urban Alley would meet all City 2way drive aisle standards (24' min).
- All trucks would continue to travel through this segment without impacts
- Safety enhancements (signing & striping) would be included as part of Building and Grading permits



Truck Turning Analysis – Former Michael's



Truck Turning Analysis – Trader Joe's



Service access, outside of Urban Alley limits, remains unchanged.



Parking Analysis

Existing vs. Proposed Parking Conditions

• Existing Conditions

- City-Owned Parcel Parking Supply of 155 spaces
- Village Center (Complete) Parking Supply of 1,147 Spaces

Proposed Conditions

- Proposed project results in loss of 47 spaces within City-owned parcel
- City-Owned Parcel Proposed Parking Supply of 108 spaces
- Village Center (Complete) Proposed Parking Supply of 1,100 Spaces



Parking Analysis – City-Code

City-Code Requirements (Existing)

Parcel Address	Tenants	Parking Supply	Parking Req. Per Code	Surplus
27092	Carl's Jr	16	15	+1
27142	Big Lots	146	94	+52
27152	Just 4 Paw/Dentist/ Etc.	8	29	(-21)
25272	CVS	149	101	+48
<mark>25880/82</mark>	Steinmart/Jersey Mikes/Etc.	<mark>155</mark>	<mark>192</mark>	<mark>(-37)</mark>
25290	Round Table/Skimmers/Etc.	48	52	(-4)
25310	25310 Former Michael's		144 146	
25402/25390	25402/25390 Bowling Alley/Moore's Sewing		138 198	
25410	Party City/Trader Joe's	61	116	(-55)
25502	Pet's Plus	29	24	+5
25522	Eat Thai/Urgent Care/Etc.	63	80	(-17)
25542	Del Taco	22	9	+13
25380	The Patio	132	124	+8
25276	Panda Express/Union Bank	36	42	(-6)
τοτ	TOTAL VILLAGE CENTER		1,222	(-75)

8 OUT OF 14 PARCELS ARE UNDER PARKED PER CITY CODE REQUIREMENTS

City-Code Requirements (Proposed Project)



- Project would result in loss of 47 spaces.
- Proposed project
 requires 53 spaces
 less than existing
 retail use.

Parcel Address	Tenants	Parking Supply	Parking Req. Per Code	Surplus
27092	Carl's Jr	16	15	+1
27142	Big Lots	146	94	+52
27152	Just 4 Paw/ Dentist/ Etc.	8	29	(-21)
25272	CVS	149	101	+48
<mark>25880/82</mark>	Los Osos/Jersey Mikes/Etc.	<mark>108</mark>	<mark>139</mark>	<mark>(-31)</mark>
25290	Round Table/Skimmers/Etc.	48	52	(-4)
25310	Former Michael's	144	146	(-2)
25402/25390	Bowling Alley/Moore's Sewing	138	198	(-60)
25410	Party City/Trader Joe's	61	116	(-55)
25502	Pet's Plus	29	24	+5
25522	Eat Thai/Urgent Care/Etc.	63	80	(-17)
25542	Del Taco	22	9	+13
25380	The Patio	132	124	+8
25276	25276 Panda Express/Union Bank		42	(-6)
TOTAL VILLAGE CENTER		1,100	1,169	(-69)

Overall, the project results in a net gain of 6 spaces for the entire Village Center.



Shared Parking Analysis

Forecast Peak Parking Demand = Observed Peak Demand +

Proposed Peak Project Demand +

Vacancies Peak Parking Demand


Observed Peak Parking Demand

- Parking Counts conducted during December 2021 with supplemental counts taken December 2022 for the Village Center
- Hourly counts between 8AM and 10PM for typical Thursday, Friday, & Saturday
- Village Center divided into 8 Zones

Day	Parking Supply	Peak Parking Demand	Percent Utilization	Time of Day
Thursday	1,147	498	43.4%	1PM
Friday	1,147	551	48.8%	12PM
Saturday	1,147	517	45.1%	1PM



Observed Peak Parking (Thurs, Fri, Sat)



Project and Vacancies Parking Demand (100% Occupancy Scenario)

• ULI *Shared Parking Model* utilized to forecast parking demand of proposed project and any on-site vacancies

Day	Time of Day	Proposed Parking Supply	Observed Peak Parking Demand	Forecast Project Demand (Project + Vacancies)	Total Parking Demand	W/ 10% Contingency Factor	% Utilization	Surplus Stalls
Thursday	1PM	1,100	498	371	869	919	84%	+181
Friday	12PM	1,100	551	383	934	989	90%	+111
Saturday	1PM	1,100	517	383	900	952	87%	+148


Given these results, there is adequate parking on-site to accommodate the future conditions.

Parking Management Plan

- Proactive approach to limit parking impacts
 - Bicycle Parking (Approx. 60 bicycle parking spaces throughout project)
 - Off-site Parking Facilities (Civic Center, World
 Cup Soccer Field Lot, Norman P. Murray Center)
 - $\circ~$ Shuttle Service to Off-site Locations

(Successfully implemented during City-sponsored events)

• Valet Operation






Pedestrian and Bicycle Accessibility

Pedestrian and Bicycle Accessibility - Existing


- Existing Class II On-Street Bike Lanes on La Paz & Marguerite
- Existing Multi-Use Trail along Oso Creek
 - Direct connectivity to Village Center; however

only connects to northern end near La Paz



Pedestrian and Bicycle Accessibility - Proposed

- **West Side**: Proposed Class I (Shared-Use Path) to directly connect Marguerite Pkwy. And the Project
- **East Side**: Outdoor Plaza will provide direct access to Project and Oso Creek Trial via freight elevator
- Future Implementation: City Bikeway Master Plan (Multi-Use Trailed Shared Sidewalk) along Marguerite Parkway leading from La Paz Road to El Toro Road
- Potential Safety Enhancements: High-visibility crosswalks, off-set limit lines and pedestrian-scale lighting.





Special Event Barn

Special Event Barn



Amenity space provided for small community gatherings w/ approx. 43 on-site parking spaces

Event Barn

- **Traffic:** Dependent on type and scale of event hosted. Trip generation is not consistent.
- Special Event Permit: City will review events on a case-by-case basis and require documentation as needed (Type of Event, # of Guests, Traffic Control, Parking Management Plan)
- Similar Applications: MV Nadadores, Saddleback
 Community College Sporting Events, Various
 Church Sponsored Events, Lake Mission Viejo
 Concerts



Thank you



Come play in your own backyard!


EnvisionMV.com



Traffic Impact Analysis

Traffic Impact Analysis Outline

- Study Area
- Existing Baseline Conditions
- Study Methodology
- Study Scenarios
- Level-of-Service Analysis
 - Trip Generation
 - Trip Distribution
 - Trip Assignment
 - Improvement Strategies



Study Area




No.	Intersection	Control
1	La Paz Road & Marguerite Parkway	Signalized
2	La Paz Road & Village Center (West Driveway)	Unsignalized
3	La Paz Road & Village Center (East Driveway)	Signalized
4	Marguerite Parkway & Village Center Driveway (near Union Bank)	Unsignalized
5	Marguerite Parkway & Civic Center/Village Center N	Signalized
6	Marguerite Parkway & Village Center Driveway (near Tikka Indian Kitchen)	Unsignalized
7	Marguerite Parkway & Village Center S	Signalized
8	Marguerite Parkway & Estanciero Drive/Village Center Driveway	Signalized

No.	Roadway Segment					
1	Marguerite Parkway between Jeronimo Road and La Paz Road					
2	La Paz Road between Marguerite Parkway and Spadra Lane					
3	La Paz Road between Marguerite Parkway and Pacific Hills Drive					
4	Marguerite Parkway between La Paz Road and Estanciero Drive					

8 Study Intersections & 4 Roadway Segments

• City Guidelines: traffic analysis required at intersections where a project adds 51 or more trips during the peak hours.



Existing Conditions

- Existing Baseline conditions based on historical (2017 and 2021) and latest (2022) traffic counts.
 - COVID-19 Impacts
 - Highest traffic volumes used in analysis.
 - AM Peak (7AM-9AM) & PM Peak (4PM-6PM)
- School Peak Traffic Volume Comparison
- Weekend Peak Traffic Volume Comparison
- Pedestrian and Bicycle Counts (2022) Oso Creek Trail



Note: Highest traffic counts were used in the analysis in order to be conservative.



Intersection Capacity Utilization (ICU) Methodology

- Used at signalized intersections and roadway segments.
- Compares the observed volume of vehicles at the intersection/roadway and the intersection/roadway capacity (V/C Ratio).
- A facility is "at capacity" (ICU value of 1.00 or greater) when extreme congestion occurs.

<u>Highway Capacity Manual (HCM) Methodology</u>


- Used at unsignalized intersections
- Based on average vehicle delay at intersection
- Higher the delay, the poorer traffic congestion

Study methodologies are consistent with all other traffic studies conducted within the City.

Level-of-Service (LOS)



- Level-of-Service or LOS: term used to qualitatively describe the operating conditions of a roadway or an intersection.
- LOS of a facility is designated with a letter (A to F)
 - Grade A representing the best operating conditions (Free Flow)
 - Grade F representing the worst operating conditions (Forced Flow)
- City of Mission Viejo designates LOS D as the minimum LOS that is acceptable.



ICU Level-of-Service Definition



Level of Service	Definition	Volume-to-Capacity Ratio (V/C)
А	EXCELLENT. No Vehicle waits longer than one red light and no approach phase is fully used.	0.000–0.600
В	VERY GOOD. An occasional approach phase is fully utilized; many drivers begin to feel somewhat restricted within groups of vehicles.	0.601–0.700
С	GOOD. Occasionally drivers may have to wait through more than one red light; backups may develop behind turning vehicles.	0.701–0.800
D	FAIR. Delays may be substantial during portions of the rush hours, but enough lower volume periods occur to permit clearing of developing lines, preventing excessive backups.	0.801–0.900
E	POOR. Represents the most vehicles intersection approaches can accommodate; may be long lines of waiting vehicles through several signal cycles.	0.901–1.000
F	FORCED FLOW. Backups from nearby locations or on cross streets may restrict or prevent movement of vehicles out of the intersection approaches. Tremendous delays with continuously increasing queue lengths.	> 1.000
SOURCES:	Transportation Research Board, Highway Capacity Manual (2000)	

HCM Level-of-Service Definition



Level of Service	Definition	Average Control Delay per Vehicle (Seconds)
А	EXCELLENT. No Vehicle waits longer than one red light and no approach phase is fully used.	0.0 – 10.0
В	VERY GOOD. An occasional approach phase is fully utilized; many drivers begin to feel somewhat restricted within groups of vehicles.	10.1 – 15.0
С	GOOD. Occasionally drivers may have to wait through more than one red light; backups may develop behind turning vehicles.	15.1 – 25.0
D	FAIR. Delays may be substantial during portions of the rush hours, but enough lower volume periods occur to permit clearing of developing lines, preventing excessive backups.	25.1 – 35.0
E	POOR. Represents the most vehicles intersection approaches can accommodate; may be long lines of waiting vehicles through several signal cycles.	35.1 – 50.0
F	FAILURE. Backups from nearby locations or on cross streets may restrict or prevent movement of vehicles out of the intersection approaches. Tremendous delays with continuously increasing queue lengths.	50.1 or more
SOURCES:	Transportation Research Board, Highway Capacity Manual (2000)	



- For signalized intersections or roadway segments:
 - Impact occurs when a project degrades a signal/segment from acceptable LOS D or better to LOS E or F; OR
 - Increases V/C Ratio by 1% at a locations already operating at LOS E or F.
- For unsignalized intersections :
 - Impact occurs when a project degrades signal from acceptable LOS D or better to LOS
 E or F; AND
 - Traffic Signal Warrant justifies a new traffic signal.

Traffic Study Scenarios



- Existing Conditions
- Existing Plus Project Conditions
- Project Buildout Year Without Project Conditions
 - (Existing + Ambient Growth + Vacant Land Use Traffic [100% Occupancy])
- Project Buildout Year With Project Conditions

Both Peak Hour Operational Analysis (Intersections) and 24-Hour Planning-Level Analysis (Roadway Segments) conducted for all scenarios.

Existing LOS Conditions - Intersections



Study Intersection La Paz Road & Marguerite Parkway La Paz Road & Village Center (West Driveway)	V/C or Delay (Sec) 0.716	LOS	V/C or Delay (Sec)	LOS
<u> </u>	0.716	C		
La Daz Poad & Villago Contor (West Drivoway)		С	0.791	С
La Paz Road & Village Center (West Driveway)	12.5 Sec	В	13.8 Sec	В
La Paz Road & Village Center (East Driveway)	0.345	А	0.479	А
Marguerite Parkway & Village Center Driveway (near Union Bank)	15.0 Sec	С	19.7 Sec	С
Marguerite Parkway & Civic Center/ Village Center N	0.543	А	0.752	С
Marguerite Parkway & Village Center Driveway (near Tikka Indian Kitchen)	15.3 Sec	С	18.2 Sec	С
Marguerite Parkway & Village Center S	0.520	А	0.674	В
Marguerite Parkway & <u>Estanciero</u> Drive/Village Center Driveway	0.732	С	0.795	С
	La Paz Road & Village Center (East Driveway) Marguerite Parkway & Village Center Driveway (near Union Bank) Marguerite Parkway & Civic Center/ Village Center N Marguerite Parkway & Village Center Driveway (near Tikka Indian Kitchen) Marguerite Parkway & Village Center S Marguerite Parkway & Estanciero Drive/Village	La Paz Road & Village Center (East Driveway)0.345Marguerite Parkway & Village Center Driveway (near Union Bank)15.0 SecMarguerite Parkway & Civic Center/ Village Center N0.543Marguerite Parkway & Village Center Driveway (near Tikka Indian Kitchen)15.3 SecMarguerite Parkway & Village Center S0.520Marguerite Parkway & Estanciero Drive/Village 0.7320.732	La Paz Road & Village Center (East Driveway)0.345AMarguerite Parkway & Village Center Driveway (near Union Bank)15.0 SecCMarguerite Parkway & Civic Center/ Village Center N0.543AMarguerite Parkway & Village Center Driveway (near Tikka Indian Kitchen)15.3 SecCMarguerite Parkway & Village Center S0.520AMarguerite Parkway & Village Center S0.520A	La Paz Road & Village Center (East Driveway)0.345A0.479Marguerite Parkway & Village Center Driveway (near Union Bank)15.0 SecC19.7 SecMarguerite Parkway & Civic Center/ Village Center N0.543A0.752Marguerite Parkway & Village Center Driveway (near Tikka Indian Kitchen)15.3 SecC18.2 SecMarguerite Parkway & Village Center S0.520A0.674Marguerite Parkway & Village Center S0.520C0.795

V/C = Volume-to-Capacity Ratio

LOS = Level-of-Service

All study intersections operate at acceptable LOS under Existing conditions.

Existing LOS Conditions – Roadway Segments



No.	Roadway Segment	Lanes	Type of Arterial	LOS E Capacity (VPD)	Daily Volume (2-Way)	V/C Ratio	LOS
1	Marguerite Parkway between Jeronimo Road and La Paz Road	4D	Primary	37,500	33,242	0.886	D
2	La Paz Road between Marguerite Parkway and <u>Spadra</u> Lane	4D	Primary	37,500	22,133	0.590	A
3	La Paz Road between Marguerite Parkway and Pacific Hills Drive	4U	Secondary	25,000	16,958	0.678	В
4	Marguerite Parkway between La Paz Road and Estanciero Drive	4D	Primary	37,500	32,730	0.873	D

All study roadway segments operate at acceptable LOS under Existing conditions.



How many trips generated are from the proposed project?

- Trip generation calculated based on the Institute of Transportation Engineers (ITE) *Trip Generation Manual*
- Trip generation rates vary on land use type, project size, and time-of-day
- Pass-by Trips Reduction Factor accounts for interim stops to the project site during an existing or previously planned trip

Daily	AM Peak Hour (1-Hour Period)			PM Peak Hour (1-Hour Period)			
2-Way Traffic	Total	In	Out	Total	In	Out	
1,377	124	69	55	89	53	36	


Project Trip Generation

Proposed Project – Trip Distribution



Where does this new traffic go?


- Trip distribution is the process of assigning the directions from which traffic will access the project site
- Based on land use characteristics of project or other local land uses & the local roadway network.



Proposed Project – Trip Assignment



- Based on trip generation and trip distribution, projected traffic is assigned into the roadway system.
- Trip assignments differ between AM and PM peak hours.



Existing Conditions Traffic Impact Summary - Intersections

	Study Intersection		Existing		Existing Plus Project		Change	Significant	
			V/C or Delay (Sec)	LOS	V/C or Delay (Sec)	LOS	in V/C	Impact	
1	La Daz Doad & Marguerite Darkway	AM	0.716	С	0.726	С	0.010	No	
0.558	La Paz Road & Marguerite Parkway	PM	0.791	С	0.799	С	0.008	No	
2	La Paz Road & Village Center (West	AM	12.5 Sec	В	12.6 Sec	В	0.1 Sec	No	
2	Driveway)	PM	13.8 Sec	В	14.1 Sec	В	0.3 Sec	No	
3	La Paz Road & Village Center (East		0.345	A	0.350	A	0.005	No	
5	Driveway)	PM	0.479	A	0.494	A	0.015	No	
4	Marguerite Parkway & Village Center	AM	15.0 Sec	С	15.4 Sec	С	0.4 Sec	No	
4	Driveway (near Union Bank)	PM	19.7 Sec	С	20.4 Sec	С	0.7 Sec	No	
5	Marguerite Parkway & Civic	AM	0.543	A	0.554	Α	0.011	No	
2	Center/Village Center N	PM	0.752	С	0.792	С	0.040	No	
6	Marguerite Parkway & Village Center	AM	15.3 Sec	С	15.4 Sec	C	0.1 Sec	No	
0	Driveway (near Tikka Indian Kitchen)	PM	18.2 Sec	С	18.4 Sec	C	0.2 Sec	No	
7	Marguerite Parkway & Village Center S	AM	0.520	А	0.525	А	0.005	No	
	7 Marguente Parkway & Village Center S		0.674	В	0.679	В	0.005	No	
8	Marguerite Parkway & Estanciero	AM	0.732	C	0.737	С	0.005	No	
8	Drive/Village Center Driveway	PM	0.795	С	0.799	С	0.004	No	

Proposed project **would not** exceed traffic impact thresholds at any study intersections under

Existing With-Project conditions

Existing Conditions Traffic Impact Summary – Roadway Segments

						Existing			Existing With Project			
No.	Roadway Segment	Lanes	Type of Arterial	LOS E Capacity (VPD)	Daily Volume (2-Way)	V/C Ratio	LOS	Daily Volume (2-Way)	V/C Ratio	LOS	V/C Increase	Significant (Yes/No)
1	Marguerite Parkway between Jeronimo Road and La Paz Road	4D	Primary	37,500	33,242	0.886	D	33,724	0.899	D	0.013	No
2	La Paz Road between Marguerite Parkway and Spadra Lane	4D	Primary	37,500	22,133	0.590	A	22,408	0.598	A	0.007	No
3	La Paz Road between Marguerite Parkway and Pacific Hills Drive	4 U	Secondary	25,000	16,958	0.678	В	17,165	0.687	В	0.008	No
4	Marguerite Parkway between La Paz Road and Estanciero Drive	4D	Primary	37,500	32,730	0.873	D	33,143	0.884	D	0.011	No

Proposed project **would not** exceed traffic impact thresholds at any study roadway segments under

Existing With-Project conditions

Project Buildout Year Traffic Impact Summary - Intersections

	Study Intersection		Opening Y Without Pro		Opening Ye	Significant		
			V/C or Delay (Sec)	LOS	V/C or Delay (Sec)	LOS	V/C Increase (Sec)	Impact
1	La Paz Road & Marguerite Parkway	AM	0.750	С	0.760	С	0.010	No
	La Faz Road & Marguente Farkway	PM	0.831	D	0.839	D	0.008	No
2	La Paz Road & Village Center (West	AM	12.7	В	12.8	B	0.1	No
2	Driveway)	PM	14.3	В	1 <mark>4.</mark> 5	В	0.2	No
3	La Paz Road & Village Center (East	AM	0.355	A	0.359	A	0.004	No
	Driveway)	PM	0.506	A	0.521	A	0.015	No
4	Marguerite Parkway & Village Center	AM	15.7	C	16.1	С	0.4	No
4	Driveway (near Union Bank)	PM	21.2	С	22.0	С	0.8	No
5	Marguerite Parkway & Civic	AM	0.573	Α	0.605	В	0.032	No
2	Center/Village Center N	PM	0.840	D	0.879	D	0.039	No
6	Marguerite Parkway & Village Center	AM	16.5	C	16.7	С	0.2	No
0	Driveway (near Tikka Indian Kitchen)	PM	21.7	С	22.0	С	0. <mark>3</mark>	No
7	Marguerite Parkway & Village Center S	AM	0.542	Α	0.547	A	0.005	No
	warguente raikway & village Center 5	PM	0.709	С	0.714	С	0.005	No
0	Marguerite Parkway & Estanciero	AM	0.758	С	0.763	С	0.005	No
8	Drive/Village Center Driveway	PM	0.824	D	0.827	D	0.003	No

Proposed project **would not** exceed traffic impact thresholds at any study intersections under

Project Buildout Year With-Project conditions

Project Buildout Year Traffic Impact Summary – Roadway Segments

	Roadway Segment			LOS E Capacity (VPD)	Opening Year Without Project			Opening Year With Project				
No.		Lanes	anes Type of Arterial		Daily Volume (2-Way)	V/C Ratio	LOS	Daily Volume (2-Way)	V/C Ratio	LOS	V/C Increase	Significant (Yes/No)
1	Marguerite Parkway between Jeronimo Road and La Paz Road	4D	Primary	37,500	34,667	0.924	E	35,149	0.937	E	0.013	Yes
2	La Paz Road between Marguerite Parkway and Spadra Lane	4D	Primary	37,500	23,041	0.614	С	23,317	0.622	C	0.007	No
3	La Paz Road between Marguerite Parkway and Pacific Hills Drive	4U	Secondary	25,000	17,650	0.706	с	17,857	0.714	C	0.008	No
4	Marguerite Parkway between La Paz Road and Estanciero Drive	4D	Primary	37,500	34,079	0.909	E	34,492	0.920	E	0.011	Yes


Proposed project **would** exceed traffic impact thresholds at study roadway segments #1 & #4 under Project Buildout Year With-Project conditions. (V/C Increase > 1%, 1.3% and 1.1% respectively)

Segments #1 & #4 operating at LOS E without project

Improvement Strategies



- Increase throughput along Marguerite Parkway
 - OCTA Approved Marguerite Parkway Traffic Signal
 Synchronization Project (TSSP), scheduled for 2024 2026
- Continue to develop Traffic Demand Management (TDM) strategies, such as expanding MV Shuttle (add stop to Village Center & weekend routes) and implement the City of Mission Viejo Comprehensive Bikeway Master Plan.
- Proposed project provides direct access to Oso Creek
 Trail, encouraging alternative modes of travel, which can assist in reducing number of vehicle trips.






Site Access & On-site Circulation

Internal Intersection LOS Analysis



- Level-of-service analysis conducted for internal "intersections" for Existing and Proposed conditions
- Installation of North Paseo and drive aisle closure will require rerouting traffic.
- Supplemental analysis not typically required by City



Internal Intersection LOS Analysis Summary

Internal	Peak Hour	Existi	ng	Opening Yea With-Pro	
Intersection	Teak Hour	Delay (Sec)	LOS	Delay (Sec)	LOS
4	AM	6.9	A	7.0	A
1	PM	7.3	A	7.6	A
2	AM	1.6	A	0.7	A
2	PM	2.4	A	2.0	А
3	AM	7.3	А	7.9	А
3	PM	8.1	А	10.0	A
4	AM	7.0	А	-	<u>1</u> 25
4	PM	7.3	А	-	8 7 82
.	AM	7.1	A	7.3	A
5	PM	7.6	A	8.0	A
C	AM	6.4	A	3.3	А
6	PM	6.6	A	5.1	A
7	AM	6.5	A	6.7	А
1	PM	6.4	A	6.6	A
8	AM	2.5	A	2.5	A
0	PM	4.4	А	4.4	А
9	AM	7.4	А	7.4	А
9	PM	8.5	A	8.7	A
10	AM	7.3	А	7.3	А
10	PM	7.7	Α	7.6	A

Proposed project **would not** exceed traffic impact thresholds at any internal study intersections

under Project Buildout Year With-Project conditions


Truck Turning Analysis

- Objective: Determine if adequate clearance will be provided for large trucks servicing center.
- Completed for all truck types currently served within the Village Center (WB-40, SU-40, & CA Legal)
- All trucks would be accommodated per existing and future conditions.




Proposed project **would not** impede truck delivery access to existing tenants.

Truck Turning Analysis – Former Michael's




Truck Turning Analysis – Trader Joe's




Truck Turning Analysis – Conflicts


CA Legal Truck (65FT) • conflicts with **existing** structures or parking stalls



CALTRANS 2020 CA LEGAL (65 FT)

(STRUCTURES, PARKING, ETC)





MISSION VIEJO - VILLAGE CENTER

TRUCK TURNING ANALYSIS CONFLICTS

APPENDIX N.10



CONFLICT WITH STRUCTURES AND PARKING STALLS



Parking Analysis

Parking Analysis – 2 Methods of Analysis

- <u>City Code Parking Requirements</u>
 - Evaluate parking for the on-site parcels and the entire commercial center per the City Code as outlined in Municipal Code *Off-Street Parking Standards*
- <u>Shared Parking Analysis</u>
 - Per City guidelines, parking requirements may be reduced given adequate documentation and parking facilities are shared amongst multiple uses
 - Approved Shared Parking Studies at Similar Shopping Centers: Olympiad Plaza (Deficient 41 Stalls), Trabuco Hills Center (Deficient 127 Stalls), Puerta Real Plaza (Deficient 89 Stalls), Kaleidoscope (Deficient 872 Stalls)

Existing vs. Proposed Parking Conditions

• Existing Conditions

- City-Owned Parcel Parking Supply of 155 spaces
- Village Center (Complete) Parking Supply of 1,147 spaces

Proposed Conditions

- Proposed project results in loss of 47 spaces within City-owned parcel
- City-Owned Parcel Proposed Parking Supply of 108 spaces
- Village Center (Complete) Proposed Parking Supply of 1,100 Spaces



Parking Analysis – City-Code

City-Code Requirements (Existing)

Parcel Address	Tenants	Parking Supply	Parking Req. Per Code	Surplus	
27092	Carl's Jr	16	15	+1	
27142	Big Lots	146	94	+52	
27152	Just 4 Paw/Dentist/ Etc.	8	29	(-21)	
25272	CVS	149	101	+48	
<mark>25880/82</mark>	Steinmart/Jersey Mikes/Etc.	<mark>155</mark>	<mark>192</mark>	<mark>(-37)</mark>	
25290	Round Table/Skimmers/Etc.	48	52	(-4)	
25310	Former Michael's	144	146	(-2)	
25402/25390	Bowling Alley/Moore's Sewing	138	198	(-60)	
25410	Party City/Trader Joe's	61	116	(-55)	
25502	Pet's Plus	29	24	+5	
25522	Eat Thai/Urgent Care/Etc.	63	80	(-17)	
25542	Del Taco	22	9	+13	
25380	The Patio	132	124	+8	
25276	Panda Express/Union Bank	36	42	(-6)	
τοτ	AL VILLAGE CENTER	1,147	1,222	(-75)	

8 OUT OF 14 PARCELS ARE UNDER PARKED PER CITY CODE REQUIREMENTS

City-Code Requirements (Proposed Project)



- Project would result in loss of 47 spaces.
- Proposed project
 requires 53 spaces
 less than existing
 retail use.

Parcel Address	Tenants	Parking Supply	Parking Req. Per Code	Surplus
27092	Carl's Jr	16	15	+1
27142	Big Lots	146	94	+52
27152	Just 4 Paw/ Dentist/ Etc.	8	29	(-21)
25272	CVS	149	101	+48
<mark>25880/82</mark>	Los Osos/Jersey Mikes/Etc.	<mark>108</mark>	<mark>139</mark>	<mark>(-31)</mark>
25290	Round Table/Skimmers/Etc.	48	52	(-4)
25310	Former Michael's	144	146	(-2)
25402/25390	Bowling Alley/Moore's Sewing	138	198	(-60)
25410	Party City/Trader Joe's	61	116	(-55)
25502	Pet's Plus	29	24	+5
25522	Eat Thai/Urgent Care/Etc.	63	80	(-17)
25542	Del Taco	22	9	+13
25380	The Patio	132	124	+8
25276	Panda Express/Union Bank	36	42	(-6)
ΤΟΤΑ	L VILLAGE CENTER	1,100	1,169	(-69)

Overall, the project results in a net gain of 6 spaces for the entire Village Center.



Shared Parking Analysis

Forecast Peak Parking Demand = Observed Peak Demand +

Proposed Peak Project Demand +

Vacancies Peak Parking Demand (100% Occupancy)


Observed Peak Parking Demand

- Parking Counts conducted during December 2021 with supplemental counts taken December 2022 for the Village Center
- Hourly counts between 8AM and 10PM for typical Thursday, Friday, & Saturday
- Village Center divided into 8 Zones

Day	Parking Supply	Peak Parking Demand	Percent Utilization	Time of Day
Thursday	1,147	498	43.4%	1PM
Friday	1,147	551	48.8%	12PM
Saturday	1,147	517	45.1%	1PM



Observed Peak Parking (Thurs, Fri, Sat)



Project and Vacancies Parking Demand (100% Occupancy Scenario)

• ULI *Shared Parking Model* utilized to forecast parking demand of proposed project and any on-site vacancies.

Day	Time of Day	Proposed Parking Supply	Observed Peak Parking Demand	Forecast Project Demand (Project)	Forecast Project Demand (Vacancies)	Total Parking Demand	W/ 10% Contingency Factor	% Utilization	Surplus Stalls
Thursday	1PM	1,100	498	112	259	869	919	84%	+181
Friday	12PM	1,100	551	112	271	934	989	90%	+111
Saturday	1PM	1,100	517	112	271	900	952	87%	+148


Given these results, there is adequate parking on-site to accommodate the future conditions.

Parking Management Plan

- Proactive approach to limit parking impacts
 - Bicycle Parking (Approx. 60 bicycle parking spaces throughout project)
 - Off-site Parking Facilities (Civic Center, World
 Cup Soccer Field Lot, Norman P. Murray Center)
 - $\circ~$ Shuttle Service to Off-site Locations

(Successfully implemented during City-sponsored events)

• Valet Operation






Pedestrian and Bicycle Accessibility

Pedestrian and Bicycle Accessibility - Existing


- Existing Class II On-Street Bike Lanes on La Paz & Marguerite
- Existing Multi-Use Trail along Oso Creek
 - Direct connectivity to Village Center; however

only connects to northern end near La Paz



Pedestrian and Bicycle Accessibility - Proposed

- **West Side**: Proposed Class I (Shared-Use Path) to directly connect Marguerite Pkwy. And the Project
- **East Side**: Outdoor Plaza will provide direct access to Project and Oso Creek Trial via freight elevator
- Future Implementation: City Bikeway Master Plan (Multi-Use Trailed Shared Sidewalk) along
 Marguerite Parkway leading from La Paz Road to
 El Toro Road





Special Event Barn

Special Event Barn



Amenity space provided for small community gatherings w/ approx. 43 on-site parking spaces

Event Barn

- **Traffic:** Dependent on type and scale of event hosted. Trip generation is not consistent.
- Special Event Permit: City will review events on a case-by-case basis and require documentation as needed (Type of Event, # of Guests, Traffic Control, Parking Management Plan)
- Similar Applications: MV Nadadores, Saddleback
 Community College Sporting Events, Various
 Church Sponsored Events, Lake Mission Viejo
 Concerts



Thank you



Come play in your own backyard!

EnvisionMV.com